

NO: SAMM 384

(Issue 4, 23 September 2026 replacement of SAMM 384 dated 08 January 2025)

Page: 1 of 40

LABORATORY LOCATION:
(PERMANENT LABORATORY)**MY CO2 (PG) SDN. BHD.**
16, LENGKOK KIKIK 1
TAMAN INDERAWASIH
13600 PERAI
PULAU PINANG
MALAYSIA**FIELDS OF TESTING:****CHEMICAL, MECHANICAL, MICROBIOLOGY, GMO,**
NUCLEIC ACID & TOXICITY

This laboratory has demonstrated its technical competence to operate in accordance with MS ISO/IEC 17025:2017 (ISO/IEC 17025:2017).

This laboratory's fulfillment of the requirements of ISO/IEC 17025 means the laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations. The management system requirements in ISO/IEC 17025 are written in language relevant to laboratory operations and operate generally in accordance with the principles of ISO 9001 (see Joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Environmental Monitoring</u> Raw water Sewage Industrial Effluent Wastewater	pH	APHA 4500-H ⁺ B (2005)
	Biological Oxygen Demand (BOD ₅)	APHA 5210 B (2005)
	Chemical Oxygen Demand (COD)	APHA 5220 B (2005) APHA 5220 D (2005)
	Suspended solid	APHA 2540 D (2005)
	Chromium Hexavalent	APHA 3500-Cr B (2005)
	Sulphate	APHA 4500-SO ₄ ²⁻ D (2005)
	Oil & Grease	APHA 5520 B (2005)
	Colour	APHA 2120B (2005)
	Phosphorus	APHA 4500-P B&C (2005)
	Sulphide	APHA 4500-S ²⁻ -D (2005)

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 2 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Environmental Monitoring</u> Raw Water Sewage Industrial Effluent Wastewater (cont..)	Total Hardness	APHA 2340 C (2005)
	Total Dissolved Solid	APHA 2540 C (2005)
	Chloride	APHA 4500-Cl D (2005)
	Boron	APHA 4500-B C (2005)
	Nitrate	APHA 4500-NO ₃ B (2005)
	Nitrite	APHA 4500-NO ₂ B (2005)
	Phenol	In house method MY/STP/069 based on Manual UDK126 D & APHA 5530-D (2005)
	Sample pre-treatment for metal analysis – Nitric acid digestion	APHA 3030 E (2005)
<u>Environmental Monitoring</u> Sewage Water Industrial Effluent Wastewater	Ammoniacal Nitrogen	APHA 4500NH ₃ – B&C (2005)
	Colour (ADMI)	APHA 2120 F (2005)
	Cyanide	APHA 4500 CN E (2005)
	Free chlorine	APHA 4500-Cl G (2005)
	Silica	APHA 4500 SiO ₂ C (2005)
	Formaldehyde	US EPA 8315 A (Rev. 1) 1996
	Chromium Trivalent	In House Method MY/STP/015 Based on APHA 3111B, (2005) APHA 3500-Cr D, (2005)
	Temperature	APHA 2550B, (2005)

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 3 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Environmental Monitoring</u> Sewage Water Industrial Effluent Leachate	Aluminium Antimony Barium Beryllium Cadmium Calcium Copper Iron Lead Magnesium Manganese Nickel Potassium Selenium Silver Sodium Thallium Total Chromium Zinc	APHA 3120 B (2005)
	Tin	In house method MY/STP/225 based on APHA 3120B (2005)
<u>Environmental Monitoring</u> Soil Sediment Solid & semisolid waste Sludge TCLP extracts	Aluminium Antimony Arsenic Barium Boron Beryllium Calcium Cadmium Chromium Copper Iron Lead Magnesium Manganese Molybdenum Nickel Potassium Selenium Silver Sodium Strontium Thallium Tin Vanadium Zinc Mercury	EPA Method 3050B (1996, Rev.2) EPA Method 3052 (1996, Rev.2) EPA Method 6010B (1996, Rev.2)
	Toxicity Characteristics Leaching procedure (TCLP)	EPA Method 1311 (1992)

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 4 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Water</u> Distilled demineralized Dialysis Water Ground Water Industrial/Cooling Purposes Mineral Water Pharmaceutical Water Potable / Drinking and Domestic Processed Water Recycled Water Reverse Osmosis Water Saline Water Steam Raising / Boiler Water Surface Water Ultrapure Water Swimming pool SPA Others	pH	APHA 4500-H ⁺ B (2005)
	Biological Oxygen Demand (BOD ₅)	APHA 5210 B (2005)
	Chemical Oxygen Demand (COD)	APHA 5220 B (2005) APHA 5220 D (2005)
	Suspended solid	APHA 2540 D (2005)
	Chromium Hexavalent	APHA 3500-Cr B (2005)
	Sulphate	APHA 4500-SO ₄ ²⁻ D (2005)
	Oil & Grease	APHA 5520 B (2005)
	Colour	APHA 2120B (2005)
	Phosphorus	APHA 4500-P B&C (2005)
	Sulphide	APHA 4500-S ²⁻ -D (2005)
	Total Hardness	APHA 2340 C (2005)
	Total Dissolved Solid	APHA 2540 C (2005)
	Chloride	APHA 4500-Cl ⁻ D (2005)
	Boron	APHA 4500-B C (2005)
	Nitrate	APHA 4500-NO ₃ B (2005)
	Nitrite	APHA 4500-NO ₂ B (2005)
	Phenol	In house method MY/STP/069 based on Manual UDK126 D & APHA 5530-D (2005)

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 5 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Water</u>	Sample pre-treatment for metal analysis – Nitric acid digestion	APHA 3030 E (2005)
Surface Water	Ammoniacal Nitrogen	APHA 4500NH ₃ – B&C (2005)
Swimming Pool and Spa	Colour (ADMI)	APHA 2120 F (2005)
Ultrapure Water	Cyanide	APHA 4500 CN E (2005)
Distilled demineralized	Free chlorine	APHA 4500-Cl G (2005)
Dialysis water	Silica	APHA 4500 SiO ₂ C (2005)
Ground water	Formaldehyde	US EPA 8315 A (Rev.1) 1996
Industrial/cooling purposes	Fluoride Chloride Nitrate Nitrite Sulphate Phosphate Bromide	APHA Method 4110B (2005) (Ion Chromatograph)
Mineral water	Fluoride	APHA 4500 F-D (2005)
Pharmaceutical water	Turbidity	APHA 2130 B (2005)
Potable/drinking and domestic	Anionic surfactant – Detergent MBAS	APHA 5540 C (2005)
Processed water	Acidity	AOAC 973.42
Recycled water	Temperature	APHA 2550 B (2005)
Reverse osmosis water		
Saline water		
Steam rising/boiler water		
Others		

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 6 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Water</u> Distilled demineralized Dialysis Water Ground Water Industrial/Cooling Purposes Mineral Water Pharmaceutical Water Potable / Drinking and Domestic Processed Water Recycled Water Reverse Osmosis Water Saline Water Steam Raising / Boiler Water Surface Water Swimming Pool and Spa Ultrapure Water Others (Cont.)	Aluminium Antimony Arsenic Beryllium Cadmium Chromium Copper Lead Manganese Nickel Selenium Silver Thallium Zinc	APHA 3125 B (2012)
	Barium Calcium Iron Magnesium Mercury Potassium Sodium	In House Method MY/STP/319 based on APHA 3125 B (2012)
	Chromium Trivalent	In House Method MY/STP/015 based on APHA 3111B, (2005) APHA 3500-Cr D, (2005)
	Aluminium Antimony Arsenic Barium Beryllium Boron Cadmium Calcium Cobalt Copper Iron Lead Lithium Magnesium Manganese Molybdenum Nickel Potassium Selenium Silicone Silver Sodium Strontium Thallium Total chromium Vanadium Zinc	APHA 3120 B (2005)

NO: SAMM 384

(Issue 4, 23 September 2026 replacement of SAMM 384 dated 08 January 2025)

Page: 7 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Water</u> Distilled demineralized Dialysis Water Ground Water Industrial/Cooling Purposes Mineral Water Pharmaceutical Water Potable / Drinking and Domestic Processed Water Recycled Water Reverse Osmosis Water Saline Water Steam Raising / Boiler Water Surface Water Swimming Pool and Spa Ultrapure Water Others (Cont.)	Tin	In house method MY/STP/457 based on APHA 3120B (2005)
	<u>Organo Chlorine Pesticide</u>	APHA 6630D (2005)
	Aldrin Dieldrin Chlordane DDT Heptachlor Heptachlor epoxide Hexachlorobenzene Lindane Methoxychlor	
	Bromoform Chloroform Bromodichlorometane Dibromochloromethane Monostyrene	In House Method MY/STP/320 based on APHA 6200 B (2012) & Journal Chromatography A1395 (2015) 41-47
	Total Chlorine	APHA 4500 - Cl F (2005)
	Dissolved Oxygen	APHA 4500 - O G (2005)
	Conductivity	APHA 2510 (2005)
	Alkalinity	APHA 2320 B (2005)
	Chloramine	APHA 4500 - Cl G (2005)
	Mercury	In House Method MY/STP/402 Based on APHA 3030F, 3114C & 3120B (2005)
	Carbon Chloroform Extract	In House Method Based on Journal of American Water Works Association Vol 54, No.2 1962 pg 223 - 227
	Biocides	In House Method MY/STP/459 Based on Calculation from Organochlorine

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 8 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Water</u> Distilled demineralized Dialysis Water Ground Water Industrial/Cooling Purposes Mineral Water Pharmaceutical Water Potable / Drinking and Domestic Processed Water Recycled Water Reverse Osmosis Water Saline Water Steam Raising / Boiler Water Surface Water Swimming Pool and Spa Ultrapure Water Others (Cont.)	2,4 D and Chlorpyrifos	In-House Method MY/STP/460/P Based on APHA 6410B & Journal of Chromatographic Science, Vol. 48 (2010) 183-187
	Boron	In-House Method MY/STP/319 based on APHA 3125B (2012)
	Endosulfan	APHA 6630 D (2005)
	Free Chlorine	In-House Method MY/STP/374 Based on the HANNA Photometer Method (Onsite)
	Turbidity	In-House Method MY/STP/375 Based on APHA 2130 B (2005) (onsite)
	Dissolved Oxygen	In-House Method MY/STP/376 Based on APHA 4500-O G (2005) (onsite)

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 9 of 40

SCOPE OF TESTING: CHEMICAL

	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Liquid Waste	pH	APHA 4500-H ⁺ B, 2005
	Flash Point	In House Method MY/STP/121 Based on ASTM D93-12 (Procedure B)
	Specific Gravity	ASTM D891-95 (Reapproved 2004)
	Boiling Point	In House Method MY/STP/339 Based on ASTM D1120-94 (Reapproved 2004)
	Sediment	In House Method MY/STP/341 Based on ASTM D473-07 (Reapproved 2017)
	Kinematic Viscosity @ 20,23 & 25 °C	In House Method MY/STP/343
Solid Waste	pH	USEPA 9045D, Revision 4 (2004)
	Flash Point	In House Method MY/STP/12 Based on ASTM D93-12
	Particle Size	In House Method MY/STP/344 Based on ASTM D1921-06
	Total Organic Carbon	In house Method MY/STP/364 Based on Walkley Black Method
Liquid Waste, Solid Waste	Calorific Value	In House Method MY/STP/342 based on ASTM D5468-02 (Reapproved 2007)
	Total Chlorine	ASTM E776-16 (Oxygen Bomb Method)
	Reactivity (with water, detection of Cyanide and sulfide)	In House Method MY/STP/346 Based on 40 CFR 261.23
	Total Petroleum Hydrocarbons (Total Hydrocarbon)	In House Method MY/STP/349 Based on TNRCC Method 1005

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 10 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Liquid Waste, Solid Waste (Cont.)	<u>Metals by ICP-OES</u> Aluminium Antimony Arsenic Barium Beryllium Cadmium Calcium Chromium Cobalt Copper Iron Lead Manganese Mercury Molybdenum Nickel Selenium Silver Thallium Vanadium Zinc	USEPA 3050B – Revision 2 (1996), Sample preparation by Acid Digestion USEPA 3051A – Revision 2 (1996), Sample preparation by Microwave digestion USEPA 6010D – Revision 4 (2014), by ICP-OES
	<u>Metals by ICP-OES</u> Gold Palladium Phosphorus Phosphate Platinum Tellurium Thorium Tin Titanium Vanadium Nitride	In House Method MY/STP/348 Based on USEPA 3050B – Revision 2 (1996), Sample preparation by Acid Digestion In House Method MY/STP/348 Based on USEPA 3051A – revision 2 (1996), Sample preparation by Microwave digestion In House Method MY/STP/348 Based on USEPA 6010D – Revision 4 (2014), by ICP-OES
	Phenol	In House Method MY/STP/069 Based on Manual UDK 126 D & APHA 5530-D (2005)
	Formaldehyde	US EPA 8315 A (Rev.1) 1996
	Water	USEPA 9000, Revision 0 (2007)

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 11 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Solvent, Chemical, or Lubricant Oil	Water Content	BP 2007 (Appendix IX C-Method III)
	Flash point	ASTM D93
<u>Industrial product</u> Plastic Toy Solid Semisolid Metal Electric Parts Polymers	Cadmium	In House Method MY/STP/169 based on BS EN 1122:2001
	Total Mercury	USEPA 7471B (2007)
	Hexavalent chromium as Cr ⁶⁺	EPA 3060A (1996)
	Polybrominated Bipheyl (PBB) : Monobromobiphenyl Dibromobiphenyl Tribromobiphenyl Tetrabromobiphenyl Pentabromobiphenyl Hexabromobiphenyl Heptabromobiphenyl Octabromobiphenyl Nonabromobiphenyl Decabromobiphenyl	Determination levels of regulated substances in electrotechnical products IEC ACEA Ad Hoc working group USEPA 3540C (1996), USEPA 8270E (2018)
	Polybrominated diphenyl ether (PBDE) : Monobromodiphenyl ether Dibromodiphenyl ether Tribromodiphenyl ether Tetrabromodiphenyl ether Pentabromodiphenyl ether Hexabromodiphenyl ether Heptabromodiphenyl ether Octabromodiphenyl ether Nonabromodiphenyl ether Decabromodiphenyl ether	Determination levels of regulated substances in electrotechnical products IEC ACEA Ad Hoc working group USEPA 3540C (1996), USEPA 8270E (2019)
	Soluble Metal : Antimony Arsenic Barium Cadmium Chromium Lead Mercury Selenium	MS ISO 8124-3 (2002) and USEPA 6010D by ICP-OES OR ISO 8124-3 (2020) 6010D (2018)
	Migration of Element Chromium	EN71-3: 2019 + A1: 2021 and USEPA 6010D (2018) by ICP-OES

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 12 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Industrial product</u> Plastic Toy Solid Semisolid Metal Electric Parts Polymers (cont.)	Migration of element: Antimony Arsenic Barium Cadmium Lead Mercury Selenium	EN71-3: 2019 + A1: 2021 and USEPA 6010D (2018) by ICP-OES
<u>Petroleum & Petroleum product</u> Lubricant Oil Petrol Engine Oil Diesel Engine Oil	Aluminium Boron Calcium Chromium Copper Iron Lead Magnesium Molybdenum Nickel Phosphorus Potassium Silicon Sodium Tin Zinc	ASTM D5185-18 by ICP-OES
Uncured Resin Containing Organic Solvent or Heavy Metals	Total Epoxide	ASTM D1652-11 (2019)
Metals and Alloys Blade	Hydrocarbon Content, C10-C40	In House Method MY/STP/388 based on BS EN 14039
Blood	Blood Lead	In House Method MY/STP/456 based on BS NIOSH 8003
Urine	Metals in Urine - Arsenic - Cadmium - Chromium - Lead - Manganese - Mercury - Nickel	In House Method MY/STP/397 based on NIOSH Method 8310
	Urine Hippuric Acid Urine Methyl Hippuric Acid	NIOSH 8301
	Urine 2,5 - Hexanedione	NIOSH 8318

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 13 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Agricultural Products and Materials</u> - Fertilizer	Nitrogen - Ammoniacal Nitrogen - Urea Nitrogen - Nitrate Nitrogen - Total Nitrogen	MS 417:Part 3 Clause 6 Clause 8 Clause 7 Clause 12
	Phosphorus - Total Phosphorus as P_2O_5 - Citric Soluble Phosphorus as P_2O_5 - Water Soluble Phosphorus as P_2O_5	MS 417: Part 4 Clause 6 Clause 8 Clause 7
	Potassium as K_2O	In House Method MY/STP/392 Based on MS 417:Part 5

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 14 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Agricultural Products and Materials</u> - Fertilizer (Cont.)	Magnesium as MgO	In House Method MY/STP/393 Based on MS 417: Part 6
	Calcium as CaO	MS 417: Part 8 (Clause 11)
<u>Foods</u> Foodstuff, Other (Animal and Pet Food)	Protein Crude	AOAC 988.05
	Moisture	AOAC 930.15
	Ash	AOAC 942.05
	Crude Fibre	AOAC 978.10
	Crude Fat	AOAC 920.39
Traditional Medicine/ Animal Feed/ Food	Carbohydrate & Energy by Calculation	MOH, Guide to nutrition labelling and claims pg 10 & 14
Food & Feed – Seafood, Food, Vegetables, Feed	Determination of cyanuric acid and melamine residue	In House Method, MY/STP/184 Based on FDA LIB No. 4421, Vol. 24
	Iodine	AOAC 935.14
	Phosphorus	AOAC 965.17
	Sodium chloride	Metrohm manual – Method 21 D3
	Sudan Red I,II,III,IV, para red	Government Chemist Publication list: LGC/GC/2007/005
Coffee Powder & Premix Coffee	Caffeine & Coffee Content	MS 1360
Tea & Tea Product	Caffeine	In House Method MY/STP/386 Based on MS 1360
Dairy Products	Majonnier Fat	AOAC 932.06
Meats and Meat Products	Benzo (a) pyrene	In house method MY/STP/252 based on Trish Journal of agriculture and food research 47:187-193
Oily foods	Gluten	In House method MY/STP/235 Based on Direct Competitive Elisa Method
Solid, Semisolid Food and Liquid Food	Formaldehyde	AOAC 931.08
Cordial and Liqueurs	Acidity	In House method MY/STP/241 Based on AOAC 940.15
Flour and Bread	Propionic Acid	In House method, MY/STP/242 Based on International Food Research Journal 17:1107-1112

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 15 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Sauces and Ketchup	Free 3-Monochloropropane-1,2 - diol (3-MCPD)	In House method MY/STP/243 Based on Czech J. food Sci Vol.22, No.5:182-189
Feed, Fishmeal Fish and Fish Products (Including shrimp, prawns and other aquatic life edible by human being)	Histamine	In House Method MY/STP/179 based on enzymatic Assay Kit
Food (Sauce, Flour, drinks, frozen seafood, noodles)	Boric acid (qualitative)	AOAC 970.33
	Boric acid (quantitative)	AOAC 970.34
	Benzoic Acid	In House method based on AOAC 994.11
	Sorbic Acid	
	Sulphur Dioxide	Velp Scientific Manual UDK 126D
	Sodium Nitrite	AOAC 973.31
Food Products • Feed & Fishmeal • Fish & Fish Products • Meat, Poultry & Derived Products	Chloramphenicol	In House Method MY/STP/369 Based on Agilent Application Note: Analysis of Chloramphenicol by Negative Ion Electrospray LC/MS/MS
	Nitrofurantol Metabolites (AMOZ, AHD, AOZ, SEM)	In House Method MY/STP/370 Based on Agilent Application Notes: ESI LC/MS/MS
Seafood & Seafood Product Fishmeal Feed meal	Total Volatile Base Nitrogen (TVBN)	In house Method MY/STP/389 Based on AOAC 920.03
Traditional Medicine / Animal Feed / Food	Amino acid profile	AOAC 994.12 & JAOAC, Vol 71 No. 6, 1988
	Fatty Acid Composition	AOAC 996.06
	Monounsaturated Fat	
	Polyunsaturated Fat	
	Saturated Fat	
	Trans Fatty Acid	
	EPA	AOAC 991.39
	DHA	

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 16 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Traditional Medicine / Animal Feed / Food	Cholesterol	JAOAC Vol. 78, No.6
	Total Dietary Fiber	AOAC 985.29
Oily Food Products and Non- Oily Food Products	Diethyl hexyl phthalates (DEHP) Benzyl butyl phthalates Dibutyl phthalates Diisononyl phthalates Di-n-octyl phthalates	GBT 21911
Canned Vegetable Products	Water Activity	AOAC 978.18
Ice Pop & Jelly and Beverage	Artificial Colouring Tartrazine Sunset Yellow Carmoisine Allura Red Brilliant Blue	In House method MY/STP 250 based on Chemical analysis of food Pearson (UV-Vis spectrophotometer)
Birdnest & Birdnest Product	Nitrite	In House method MY/STP/244, based on AOAC 973.31, GB5009.33 (IC)
	Nitrate	In house method MY/STP/245 based on AOAC 993.03
	Sialic Acid	In house method MY/STP/246, based on Food Science Vol.31, Iss 8, 233-236
	Aluminium	GB 5009.268 (Method II)
	Mercury	In- House Method MY/STP/465 Based on GB 5009.268 (Method II)

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

Schedule

Issue date: 23 September 2026
Valid until: 29 January 2028



NO: SAMM 384

(Issue 4, 23 September 2026 replacement of SAMM 384 dated 08 January 2025)

Page: 17 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Vegetables and Fruits	- Chlorpyrifos - Malathion - Fenitrothion - Aldrin - Alpha-BHC - Beta-BHC - Delta-BHC - Dieldrin - Endosulfan I - Endosulfan II - Endosulfan Sulphates - Endrin - Endrin Aldehyde - Gamma-BHC - Heptachlor - Heptachlor Epoxide - 4,4-DDD - 4,4-DDE - 4,4-DDT - Dichlorvos - Disulfoton - Bdursban - Gulthion - Methyl parathion - MOCAP - Runnel - Tokuthion	In- house Method, MY/STP/149 based on AOAC 2007.01

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 18 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Food Products, Nutritional and Dietary supplements, Nutritional food, Beverages	Alcohol Content	In House Method MY/STP/359 based on J.Chem. Metrol: 7-9
Vitamized food and Cereal	Vitamin B12	In house method MY/STP/238 based on Enzyme Immunoassay for quantitative
Food Products • Non-alcoholic • Food Additives & Supplements • Dairy Products • Honey & Honey Products • Edible Oils, Fats & Their Products • Meat, Poultry & Derived Products • Egg & Egg Products • Nuts, Fruits & Vegetables & Derived Products • Essential Nutrients • Feed, Sauces, Herbs, Spices & Condiments • Fish & Fish Products • Sugar & Sugar Products • Frozen Food • Traditional Medicine • Flour & Confectionery	Vitamin C	In House Method MY/STP/325 based on HPLC with UV Detection
	Vitamin D (as Cholecalciferol)	GB 5413.9
Baby Foods and Milk Products	Vitamin E (Total tocopherol) Vitamin D3	GB 5413.9
Corn and Peanut Butter	Aflatoxin (B1, B2, G1, G2)	AOAC 990.33 (by HPLC)
Vitamin premix / Food/ Feed/ Pharmaceutical Products	Vitamin B1, Vitamin B2, Vitamin B3 & Vitamin B6	BP 2007 (Vitamin B and C injection) and LGC/GC/2007/2019
	Vitamin C	AOAC 967.21
	Vitamin A	USP30-NF25 Page 214
Traditional Medicine / Animal Feed / Food	Aflatoxin	In house method MY/STP/112 based on Direct competitive Elisa method
	Zearelenone	In house method MY/STP/111 based on Direct competitive Elisa method
	T-2 Toxin	In house method MY/STP/114 based on Direct competitive Elisa method

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 19 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Traditional Medicine / Animal Feed / Food (cont.)	DON	In house method MY/STP/116 based on Direct competitive Elisa method
	Beta - agonist	In house method MY/STP/144 based on Direct competitive Elisa method
	Melamine	In house method MY/STP/146 based on FDA melamine quantification (HPLC-UV screening method)
	Fumonisin	In house method MY/STP/115 based on Direct competitive Elisa method
	Ochratoxin A	In house method MY/STP/113 based on Direct competitive Elisa method
	Chloramphenicol	In house method MY/STP/119 based on Direct competitive Elisa method
	Antimony	In house method MY/STP/450 based on AOAC 2013.06
	Arsenic	In house method MY/STP/450 based on AOAC 2013.06
	Cadmium	In house method MY/STP/450 based on AOAC 2013.06
	Lead	In house method MY/STP/450 based on AOAC 2013.06
	Mercury	In house method MY/STP/450 based on AOAC 2013.06
	Tin	In house method MY/STP/450 based on AOAC 2013.06
	Calcium Cobalt Copper Iron Magnesium Manganese Sodium Zinc	AOAC 968.08 In house method MY/STP/446 based on AOAC 2011.14

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 20 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Food Products • Non-alcoholic • Food Additives & Supplements • Dairy Products • Honey & Honey Products • Edible Oils, Fats & Their Products • Meat, Poultry & derived products • Egg & Egg Products • Nuts, Fruits & Vegetables & Derived Products • Essential Nutrients • Feed, Sauces, Herbs, Spices, & Condiments • Fish & Fish Products • Sugar & Sugar Products • Frozen Food	Potassium	In house method MY/STP/446 based on AOAC 2011.14
<u>Medicine</u> Capsule Tablet Pills	Disintegration	BP 2013 Monograph (Appendix XII A)
	Uniformity of Weight	USP 38 Monograph <905>

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 21 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Food Products - Food Additives & Supplements - Dairy Products - Honey & Honey Products - Meat, Poultry & Derived Products - Egg & Egg Products - Nuts, Fruits & Vegetables & Derived Products - Essential Nutrients - Feed, Sauces, Herbs, Spices & Condiments - Fish & Fish Products - Frozen Food - Traditional Medicine - Flour & Confectionery	Total Sugar	AOAC 968.28
	Added Sugar (as sucrose)	In House Method MY/STP/377 Based on AOAC 968.28
	Sugar Profile - Fructose - Glucose - Sucrose - Maltose - Lactose - Total Sugar (Sum of Fructose, Glucose, Sucrose, Maltose & Lactose) - Added Sugar (As Sucrose)	In-House Method MY/STP/382/P Based on GB 5009.8 (HPLC)
Food - Sauce - Paste - Edible Oil	Anisidine value	In-House Method MY/STP/467 Based on AOAC 922.06 & AOCS Cd 18-90
Food - Spice - Instant noodle - Food seasoning	(1) Ethylene Oxide (2) 2-Chloroethanol (3) Sum of Ethylene Oxide	In House Method MY/STP/436 based on Journal of Food Composition and Analysis 19 83-87

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 22 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Palm Oil Product & Edible Oils	Moisture and volatile matter	MPOB P2.1 Part 1 :2004
	Impurities	MPOB P2.2
	Peroxide value	MPOB P2.3
	Acidity / FFA	MPOB P2.5
	Saponification Value	MPOB P3.1
	Unsaponifiable matter	MPOB P2.7
	Iodine value	MPOB P3.2
	DOBI of crude palm oil	MPOB P2.9
	Slip melting point	MPOB P4.2
Antibiotics / liquid	Colistin Sulphate	BP 2007 (monograph 0320)
	Tylosin Tartrate	BP 2007 (monograph 1274)
	Amoxicillin	USP30-NF25 page 1402
	Cephalexin monohydrate	BP 2007 (monograph 0708)
	Sulfadimethoxine	USP30-NF page 3242
	Sulfaquinoxaline	USP30-NF25 page 3250
	Contents of gentamicin	USP30-NF25 page 2219
Cosmetics	Salicyclic Acid	In house method MY/STP/247 based on BP 2007
	Hydroquinone	ACM Ino 03
	Formaldehyde	In house method MY/STP/249 based on Journal of Food and Drug Analysis, Vol.11, No.1 (HPLC)

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 23 of 40

SCOPE OF TESTING: CHEMICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Medical devices	Non-polar organic compounds (Total Hydrocarbon)	In House Method MY/STP/433 Based on ISO 10993-12 and ISO 9377-2: 2000.
	Polar organic compounds (total organic carbon)	In House Method MY/STP/434 Based on ISO 10993-12 and EN 1484: 2002
	Particulate residue	In House Method MY/STP/437 Based on ASTM F2459-12
	Polar inorganic compounds (Metallic Impurities)	In House Method MY/STP/432 Based on ISO 10993-12 and ICP-MS
	Residual acid (as nitric acid)	In house method MY/STP/438 for quantification of Residual Acid by Conductivity Measurement.
	Ethylene oxide	In House Method MY/STP/435 Based on ISO 10993-12 and ISO 10993-7: 2008.
	Ethylene chlorohydrin (2- chloroethanol)	
	Ethylene glycol	

Schedule

Issue date: 23 September 2026
Valid until: 29 January 2028



NO: SAMM 384

(Issue 4, 23 September 2026 replacement of SAMM 384 dated 08 January 2025)

Page: 24 of 40

SCOPE OF TESTING: CHEMICAL

SITE: CATEGORY I

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Air Emission	Particulate matter	USEPA 40 CFR60, App A, Method 5 (1991)
	Sulphuric Acids & Sulphur Dioxide	USEPA 40 CFR60, App A, Method 8 (1991)
	HCl, HBr, HI, HF, H ₂ S and halogen (Cl-, Br-, I-, F-, S ₂ -)	USEPA 40 CFR60, App A, Method 26A (1991)
	Nitrogen Oxide	USEPA 40 CFR60, App A, Method 7 (1991)
	Metals (Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Mn, Hg, Ni, P, Se, Ag, Tl, Zn)	USEPA 40 CFR60, App A, Method 29 (1991)
	Particulate matter	MS 1596 : 2003
	Dark Smoke	BS 2742:2009
	Volatile Organic Compound (Refer to Appendix 1)	In House Method MY/STP/387 Based on USEPA 0030 & USEPA 5040
Ambient Air (on site)	Arsenic and compounds as As	NIOSH Method 7900 (4 th Ed)
	Managanese and compounds as Mn	In-house method MY/STP/157 based on NIOSH Method 7030 (4 th Ed)
	Cadmium and compounds as Cd	NIOSH Method 7048 (4 th Ed)
	Chromium and compounds as Cr	NIOSH Method 7024 (4 th Ed)
	Iron and compound as Fe	In-house method MY/STP/160 based on NIOSH Method 7030 (4 th Ed)
	Zinc and compound as Zn	NIOSH Method 7030 (4 th Ed)
	Nickel and compound as Ni	In-house method MY/STP/162 based on NIOSH Method 7030 (4 th Ed)
	Copper and compound as Cu	NIOSH Method 7029 (4 th Ed)
	Lead and compound as Pb	NIOSH Method 7082 (4 th Ed)
	Mercury in Air	NIOSH Method 6009 cold vapour (4 th Ed)
	Total dust in Air	NIOSH Method 0500 (4 th Ed)
	Suspended Particulate Matter – PM ₁₀	EPA 625/R-96/010a Compendium Method IO-2.2:1999

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 25 of 40

SCOPE OF TESTING: CHEMICAL**SITE: CATEGORY I**

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Ambient Air (on site)	Suspended Particulate Matter – PM _{2.5}	EPA 625/R-96/010a Compendium Method IO-2.2:1999
	Total Suspended Particulates (TSP)	EPA 625/R-96/010a Compendium Method IO-2.1:1999
	Volatile Organic Compound (Refer to Appendix 1)	In House Method MY/STP/395 Based on EPA METHOD TO-1
Ambient Air (on site)	Aluminium Antimony Arsenic Barium Beryllium Cadmium Chromium Cobalt Copper Iron Lead Manganese Nickel Silver Zinc	NIOSH Method 7300 (4 th Edition)

NO: SAMM 384(Issue 3, 08 January 2025 replacement
of SAMM 384 dated 25 September 2023)

Page: 26 of 40

APPENDIX 1**TABLE 4: VOLATILE ORGANIC COMPOUND (VOC)**

1. 1,2,3-Trichlorobenzene
2. 1,2,4-Trichlorobenzene
3. 1,2,4-Trimethylbenzene
4. 1,3,5-Trimethylbenzene
5. Benzene
6. Bromobenzene
7. Ethylbenzene
8. M-Xylene
9. N-Butylbenzene
10. P-Isopropyltoluene
11. Styrene
12. Toluene
13. Naphthalene
14. Chloroform
15. Bromoform

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 27 of 40

SCOPE OF TESTING: MECHANICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Toy Materials, Plastic Toy, Metal Toy, Wooden Toy, and Paper Toy	Material Quality	ISO 8124-1:2022(E) (Sec 4.3.1) EN71-1:2014 + A1:2018(E) (Sec 4.1)
	Small Part Test	ISO 8124-1: 2022 (E) (Sec 5.2) EN71-1:2014 + A1:2018(E) (Sec 8.2)
	Sharp Edge Test	ISO 8124-1:2022 (E) (Sec 5.8) EN71-1:2014 + A1:2018(E) (Sec 8.11)
	Sharp Point Test	ISO 8124-1:2022 (E) (Sec 5.9) EN71-1:2014 + A1:2018(E) (Sec 8.12)
	Packing film Thickness	ISO 8124-1:2022 (E) (Sec 5.10) EN71-1:2014 + A1:2018(E) (Sec 8.25)
	Accessibility of Part or Component	ISO 8124-1:2022 (E) (Sec 5.7) EN71-1:2014 + A1:2018(E) (Sec 8.10)
	Drop Test	ISO 8124-1:2022 (E) (Sec 5.24.2) EN71-1:2014 + A1:2018(E) (Sec 8.5)
	Torque Test	ISO 8124-1:2022 (E) (Sec 5.24.5) EN71-1:2014 + A1:2018(E) (Sec 8.3)
	Tension Test	ISO 8124-1:2022 (E) (Sec 5.24.6) EN71-1:2014 + A1:2018(E) (Sec 8.4)
	Impact Test	EN71-1:2014 + A1:2018(E) (Sec 8.7)
	Compression Test	ISO 8124-1:2022 (E) (Sec 5.24.7) EN71-1:2014 + A1:2018(E) (Sec 8.8)
	Small Ball Test	ISO 8124-1:2022 (E) (Sec 5.4) EN71-1:2014 + A1:2018(E) (Sec 8.32)
	Shape and Size Test	ISO 8124-1:2022 (E) (Sec 5.3) EN71-1:2014 + A1:2018(E) (Sec 8.16)
	Flammability	ISO 8124-2: 2023 EN71-2:2011 + A1:2014
	Marking & instruction	MS IEC 62115:2017 (Sec 7) BS EN IEC 62115:2020 + A11:2020 (Sec 7)
	Screw & Connections	MS IEC 62115:2017(Sec 17) BS EN IEC 62115:2020+A11:2020 (Sec 16)
	Creepage & Clearance	MS IEC 62115:2017(Sec 18) BS EN IEC 62115:2020 +A11:2020 (Sec 17)

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 28 of 40

SCOPE OF TESTING: MECHANICAL**SITE: CATEGORY 1**

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Noise (on site)	Noise Level	ISO 1996-1 : 2016

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 29 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Nutritional and dietary supplement, pharmaceutical, traditional medicine, toiletries and cosmetic	Total aerobic microbial count – plate method	USP30-NF25
	Total yeast and mold count	USP30-NF25
Nutritional and Dietary supplement Pharmaceutical products Toiletries Herbal Medicinal Products Powder / Granules Tablets Hard Gel Capsule Soft Gel Capsule Pill Oil Liquid (Syrup/Water) Cream Ointment	Total Aerobic Microbial Count (TAMC)	BP 2020 Appendix XVI B
	Total Yeast and Mold Count (TYMC)	
	Bile Tolerant Gram-Negative Bacteria	
	<i>Candida albicans</i>	
	<i>Clostridia</i>	
	<i>Escherichia coli</i>	
	<i>Pseudomonas aeruginosa</i>	
	<i>Salmonella</i>	
	<i>Staphylococcus aureus</i>	
Herbal Medicinal Products Powder/Granules Tablets Hard Gel Capsule Soft Gel Capsule Pill Liquid (Syrup/Water)	Bile Tolerant Gram-Negative Bacteria	BP 2020 Appendix XVI F
	<i>Salmonella</i>	
	<i>Escherichia coli</i>	

 Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384

(Issue 4, 23 September 2026 replacement of SAMM 384 dated 08 January 2025)

Page: 30 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Medical devices / injection liquid	Sterility testing	BP 2020 Appendix XVI A
	Endotoxin	Multi-test Limulus Amebocyte Lysate (LAL) kit
Medical devices	Determination of population of microorganisms on products (Estimation of product bioburden)	In House Method MY/STP/430 based on ISO 11737-1
Microbiological monitoring (Environmental Monitoring – air & work surfaces)	Air monitoring for total bacteria, total fungus count by cascade impactor	In-house Method MY/STP/185 based on NIOSH Method 0800
	Swab Contact Method: Sponge Contact Method: Air Sedimentation Method: Total Plate Count Yeast & Mold Count Coliform <i>Escherichia coli</i> <i>Staphylococcus aureus</i> <i>Enterobacteriaceae</i> <i>Enterococci</i> <i>Bacillus cereus</i> <i>Clostridium perfringens</i> <i>Salmonella spp.</i> <i>Listeria spp.</i>	In-house Method MY/STP/175 based on Compendium of Methods for the Microbiological Examination of Foods, Chapter 3
Environmental (Swab and Sponge)	<i>Salmonella spp.</i>	In-house Method MY/STP/175 based on Compendium of Methods for the Microbiological Examination of Foods, Chapter 3 and FDA-BAM Chapter 5
	<i>Listeria monocytogenes</i> <i>Listeria spp.</i>	In-house Method MY/STP/175 based on Compendium of Methods for the Microbiological Examination of Foods, Chapter 3 and FDA-BAM Chapter 10

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 31 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Canned Foods	Thermophilic bacteria	FDA-BAM Chapter 21
	Anaerobic Organisms	
	Leakage organisms	
All types of food and food related samples	<i>Escherichia coli</i> (Petrifilm method)	AOAC 991.14
	Coliform (Petrifilm method)	AOAC 991.14
	<i>Enterobacteriaceae</i> (Petrifilm method)	AOAC 2003.01
	<i>Salmonella</i>	FDA-BAM Chapter 5
	Coagulase Positive <i>Staphylococcus aureus</i> (Petrifilm method)	AOAC 2003.07
	Aerobic plate count / Total Plate Count	FDA-BAM Chapter 3
	Yeast & Mold count	FDA-BAM Chapter 18
	<i>Bacillus cereus</i>	FDA-BAM Chapter 14
	<i>Clostridium perfringens</i>	FDA-BAM Chapter 16
	<i>Vibrio cholerae</i>	FDA-BAM Chapter 9
	<i>Vibrio parahaemolyticus</i>	FDA-BAM Chapter 9

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 32 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
All type of food including: - Foods - Alcoholic Beverages - Dairy Products - Edible Oils, Fats and their products - Egg and Egg Products - Essential Nutrients, including Vitamins - Fish and Fish Products - Flour and Confectionary - Food Additives and Supplements - Honey and Honey Products - Infant Foods - Meat, Poultry and derived products - Pet Foods - Sauces, Herbs, Spices and Condiments - Sugar and sugar product	Coliform (Solid Medium Method)	In house method MY/STP/253 based on FDA-BAM Chapter 4
	<i>Escherichia coli</i> (Solid Medium Method)	
	Coliform (MPN Method)	In house method MY/STP/254 based on FDA-BAM Chapter 4
	<i>Escherichia coli</i> (MPN Method)	
	Coagulase Positive <i>Staphylococcus aureus</i> (Direct Plate)	In house method MY/STP/257 based on FDA-BAM Chapter 12
	Coagulase Positive <i>Staphylococcus aureus</i> (MPN method)	In house method MY/STP/256 based on FDA-BAM Chapter 12
<u>Foods</u>		
Fruit Juice	Alicyclobacillus	In-house Method MY/STP/263 based on Compendium of Methods for the Microbiological Examination of Foods, Chapter 25

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 33 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Foods Products</u> - Food Additives & Supplements - Beverages - Cereal & Cereal Products - Dairy Products - Fish & Fish Products - Sauces, Herbs, Spices & Condiments - Meat, Poultry & Derived Products - Honey & Honey Products - Egg & Egg Products - Nuts, Fruits & Vegetables & Derived Products - Essential Nutrients - Sugar & Sugar Products - Frozen Food - Flour & Confectionery - Feed	Anaerobic Bacteria Count	In-house Method MY/STP/351 based on FDA-BAM Chapter 3
	<i>Shigella species</i>	FDA-BAM Chapter 6
	Aerobic Plate Count (Petrifilm Method)	AOAC 990.12
	Yeast and Mold (Petrifilm Method)	AOAC 2014.05
	<i>Clostridium species</i>	In House method MY/STP/373 Based on ISO 15213
	<i>Vibrio species</i>	ISO/TS 21872-2
	<i>Listeria monocytogenes</i> <i>Listeria species</i>	FDA-BAM Chapter 10

NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 34 of 40

SCOPE OF TESTING: MICROBIOLOGICAL

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Food Products - Food Additives & Supplements - Beverages - Cereal & Cereal Products - Dairy Products - Fish & Fish Products - Sauces, Herbs, Spices & Condiments - Meat, Poultry & Derived Products - Honey & Honey Products - Egg & Egg Products - Nuts, Fruits & Vegetables & Derived Products - Essential Nutrients - Sugar & Sugar Products - Frozen Food - Flour & Confectionery - Feed Water • Potable water • Drinking water • Raw water	<i>Campylobacter</i> - Colony count technique	ISO/TS 10272-2

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 35 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Cereal, Cereal Products & Starch Sugar & Sugar Products Flour & Confectionery	Thermophilic Spore Count Including - Thermophilic Aerobic Sporeformers - Thermophilic Flat Sour Sporeformers - Thermophilic Anaerobic Spore Producing H₂S (Sulfide Spoilage Sporeformers) - Thermophilic Anaerobic Gas Producing Spores	AACC International, Approved Methods of Analysis, Method 42-40.01
Sugar & Sugar Products	Total Mesophilic Bacterial Count - Pour plate method - Membrane filtration Method	MS 5: Part 2
	Total Yeast & Mould - Pour plate method - Membrane filtration Method	
	Thermophilic Spore-forming Bacteria - Pour plate method - Membrane filtration Method	
	Flat Sours Spore - Pour plate method	
	Sulphides Spoilage Spores	
	Thermophilic Gas-producing Anaerobes	

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 36 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Water, Waste water, Potable water, Drinking water	Total plate count / Heterotrophic plate count	APHA 9215 B
	Total plate count (membrane filtration method)	APHA 9215 D
	Total Coliform (membrane filtration method)	APHA 9222 B
	Thermotolerant (Fecal) Coliform (membrane filtration method)	APHA 9222 D
	Legionellaceae	APHA 9268 J
- Potable Water and Domestic - Ground Water - Mineral Water - Reverse Osmosis Water - Industrial / Cooling Purposes - Steam Raising / Boiler Water - Swimming Pool water and SPA - Surface Water	Total Coliform (Multiple Tube Method)	APHA 9221 B
	<i>Escherichia coli</i> (Multiple Tube Method) Thermotolerant (Fecal) Coliform (multiple tube method)	APHA 9221 E/F

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 37 of 40

SCOPE OF TESTING: MICROBIOLOGY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Drinking water, Mineral water, Deionised water, Potable water, River water, Ground water, Swimming pool water, Raw and Treated water, Cooling Tower water, Reverse osmosis water, Haemodialysis water	<i>Clostridium perfringens</i> (Membrane Filtration Technique)	BS ISO 14189
	Fecal Streptococcus and Enterococcus (Membrane Filtration Technique)	APHA 9230 C
	Sulphite Reducing Anaerobe (Clostridia) (Membrane Filtration Technique)	BS EN 26461-2
	<i>Pseudomonas aeruginosa</i> (Membrane Filtration Technique)	APHA 9213 E
	Examination for <i>Legionella</i> spp. Including <i>Legionella</i> <i>pneumophila</i>	AS/NZS 3896
	<i>Escherichia coli</i> (Membrane Filtration Partition Procedure)	APHA 9222 I

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 38 of 40

SCOPE OF TESTING: NUCLEIC ACID

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Foods</u> - Raw Meat - Processed Food	Pork Origin Identification	MY/STP/261 using real time PCR
<u>Foods Products</u> - Dairy & Dairy Products - Meat, Poultry & derived Products - Herbs, Spices & Condiments - Environmental (Swab and Sponge)	Detection of <i>Salmonella</i>	MY/STP/363 using real time PCR

Schedule

Issue date: 23 September 2026
Valid until: 29 January 2028



NO: SAMM 384

(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 39 of 40

SCOPE OF TESTING: GENETIC MODIFIED ORGANISM (GMO)

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
<u>Foods</u> - Raw Soybean - Processed Food	Genetic Modified Organisms (35S Promoter, NOS Terminator)	MY/STP/262 using real time PCR

Scan this QR Code or visit www.ism.gov.my/cab-directories for the current scope of accreditation

NO: SAMM 384(Issue 4, 23 September 2026 replacement
of SAMM 384 dated 08 January 2025)

Page: 40 of 40

SCOPE OF TESTING: TOXICITY

Materials/ Products Tested	Type of Test/ Properties Measured/ Range of Measurement	Standard Test Methods/ Equipment/Techniques
Medical devices	In vitro-cytotoxicity	ISO 10993-12 and ISO 10993-5 (Annex C: MTT assay)
	In vitro-cytotoxicity (XTT assay)	XTT assay based on ISO 10993-5: 2009, biological evaluation of medical devices

Notes:

AACC: Cereals & Grains Association (formerly AACC International, American Association of Cereal Chemists)

ACM: ASEAN Cosmetic Methods

AOAC: Official Methods of Analysis

APHA: American Public Health Association

AS/NZS: Australian / New Zealand Standard

ASTM: American Society for Testing and Materials

BP: British Pharmacopeia

BS: British Standards

EPA: United States Environmental Protection Agency Methods

FDA-BAM: Food and Drugs Administration / Bacteriological Analytical Manual

GB: China National Standard

ISO/TS: International Organisation for Standardisation /Technical specification

MPOB: Malaysia Palm Oil Board

MS: Malaysia Standard

NIOSH: National Institute of Occupational Safety and Health

USEPA: United States Environmental Protection Agency

USP: United States Pharmacopeia